

5TH CATEGORY - HISTORIC RACING GROUP N APPROVED VEHICLE SPECIFICATION

This form details the approved specifications of individual vehicle models in the 5th Category Historic car group. To be issued with an Historic Log Book, cars need to comply with these specifications, the physical appearance shown in the illustrations and the general historic rules as detailed in the current Motorsport Australia Manual.

Make of Car:	Mazda	Model:	1300 STB
Period of Original Manufacture:	1970 – 1974		
Motorsport Australia Historic Group:	: Nc		
Date of Issue of this Document:	29 September 2021		



Refer to Motorsport Australia Manual of Motor Sport, Vehicle Eligibility, Historic Touring Cars, General Requirements & Nc Regulations for permitted modifications.

## Update Log

# SECTION 1 - CHASSIS

## 1.1. CHASSIS

Description:	Unitary construction - Two door coupe or four door sedan
Period of Manufacture:	1970 – 1974
Manufacturer:	Тоуо Кодуо
Chassis Number From:	STB
Chassis Number location:	Firewall
Material:	Steel
Comments	None

#### 1.1. FRONT SUSPENSION

Description:	Independent - by McPherson Strut			
Spring Medium:	Coil			
Damper Type:	Telescopic incorpor	Telescopic incorporated in strut <b>Adjustable:</b> Yes		
Anti-sway bar:	Yes - Integral with lower arms Adjustable: Yes			Yes
Suspension adjustable:	Yes	Method:	Caster, camb	per and toe
Comments:	Refer Appendix A			

# 1.2. REAR SUSPENSION

Description:	Live rear axle with four links plus Panhard rod			
Spring Medium:	Coil			
Damper Type:	Telescopic		Adjustable:	No
Anti-sway bar:	No		Adjustable:	N/A
Suspension adjustable:	Yes Method:		Spring height	
Comments:	Refer Appendix A			

# 1.3. STEERING

Туре:	Ball and nut	Make:	Mazda
Comments	None		

## 1.4. BRAKES

	Front	Rear		
Туре:	Disc, solid	Drum		
Dimensions:	244 mm x 10 mm	200 mm x 32 mm		
Material of drum/disc:	Cast iron	Cast iron		
No. cylinders/pots per wheel:	Two	Two		
Actuation:	Hydraulic	Hydraulic		
Caliper make:	Sumitomo			
Caliper type:	Sliding	Sliding		
Material:	Cast iron	Cast iron		
Master cylinder make:	Mazda	Mazda		
Туре:	Tandem	Tandem		
Adjustable bias:	No	No		
Servo Fitted:	Yes			
Comments:	None			

# 2.1. ENGINE

Make:	Toyo Kogyo - Mazda			
Model:	TC			
No. cylinders:	Four	Configuration:	In-line	
Cylinder Block-material:	Cast iron	Two/Four Stroke:	Four	
Bore - Original:	73 mm	Max allowed:	74.5 mm	
Stroke - original:	76 mm	Max allowed:	76 mm	
Chamber Capacity - original:	1272 сс	Max allowed:	1332 cc	
Identifying marks:	TC			
	On passenger side of the block			
Cooling method:	Liquid			
Comments:	None			

## 2.2. CYLINDER HEAD

Make:	Toyo Kogyo – Mazda				
No. of valves/cylinder:	Two	Inlet:	One	Exhaust:	One
No. of ports total:	Eight	Inlet:	Four	Exhaust:	Four
No. of camshafts:	One	Location:	Head	Drive:	Chain
Valve actuation:	OHC				
Spark plugs/cylinder:	One				
Identifying marks:	TC stamped on front head				
Comments:	None				

## 2.3. LUBRICATION

Method:	Wet sump	Oil tank location:	N/A
Dry sump pump type:	N/A	Location:	N/A
Oil cooler standard:	No	Location:	N/A
Comments:	None		

## 2.4. IGNITION SYSTEM

Туре:	Points, coil & distributor
Make:	Mitsubishi
Comments	Breakerless electronic ignition permitted

# 2.5. FUEL SYSTEM

Carburettor Make:	Hitachi	Model:	Twin throat
<b>Carburettor Number:</b>	One		
Size:	27/22		
Fuel injection Make:	N/A	Туре:	N/A
Supercharged:	No	Туре:	N/A
Comments:	None		

#### SECTION 3 - TRANSMISSION

#### 3.1. CLUTCH

Make:	Mazda
Туре:	Diaphragm
Diameter:	185 mm
No. of Plates:	One
Actuation:	Hydraulic
Comments:	None

#### 3.2. TRANSMISSION

Туре:	Four speed synchromesh
Make:	Mazda
Gearbox location:	Behind engine
No. forward speeds:	Four
Gearchange type and location:	H pattern floor mounted
Case material:	Alloy
Identifying marks:	N/A
Comments:	None

#### 3.3. FINAL DRIVE

Make:	Mazda	Model:	R100
Туре:	Live axle		
Ratios:	Various		
Differential type:	Semi floating, hypoid		
Comments:	None		

## 3.4. TRANSMISSION SHAFTS (EXPOSED)

Number:	One
Location:	Gearbox to final drive
Description:	Open tail shaft with twin uni joints
Comments:	None

#### 3.5. WHEELS & TYRES

Wheel type - Original:	Pressed disc	Material - Original:	Steel	
Wheel type - Allowed:	Steel	Material - Allowed:	Steel	
	Alloy (period style)		Alloy	
Fixture method:	Bolt on	No. studs:	Four	
Wheel dia. & rim width	FRONT		REAR	
Original:	4.5" x 13" 4		4.5" x 13"	
Allowed	6" x 13" 6		6" x 13"	
Tyre Section:				
Allowed:	Refer approved tyre list.			
Aspect ratio - minimum:	60% minimum aspect ratio.			
Comments:	None			
-				

#### 4.1. FUEL SYSTEM

Tank Location:	In boot	Capacity:	45 litres
Fuel pump, type:	Mechanical, on block	Make:	Hitachi
Comments:	None		

#### 4.2. ELECTRICAL SYSTEM

Voltage:	12	Alternator fitted:	Alternator
Battery Location:	Engine bay		
Comments:	None		

#### 4.3. BODYWORK

Туре:	Coupe or sedan	Material:	Steel
No. of seats:	Four	No. doors:	Two or four
Comments:	None		

#### 4.4. DIMENSIONS

Track - Front:	1210 mm	Rear:	1090 mm
Wheelbase:	2260 mm	Overall length:	3795 mm
Dry weight:	780 kg		
Comments:	This chassis is shared with the R100 and 1200. The dimensions are the same		
	and did not change until the wider FA3TS was released in 1974		

# 4.5. SAFETY EQUIPMENT

Refer applicable Group Regulations

# Appendix A

# Suspension

# Front

Spring height adjustment permitted.

## Rear

Spring height adjustment permitted.