



| |
|--|
| 5TH CATEGORY - HISTORIC RACING GROUP N APPROVED VEHICLE SPECIFICATION |
|--|

This form details the approved specifications of individual vehicle models in the 5th Category Historic car group. To be issued with an Historic Log Book, cars need to comply with these specifications, the physical appearance shown in the illustrations and the general historic rules as detailed in the current Motorsport Australia Manual.

| | | | |
|---|-------------------|---------------|-----|
| Make of Car: | Volvo | Model: | 164 |
| Period of Original Manufacture: | 1968 - 1972 | | |
| Motorsport Australia Historic Group: | Nc | | |
| Date of Issue of this Document: | 30 September 2021 | | |



Refer to Motorsport Australia Manual of Motor Sport, Vehicle Eligibility, Historic Touring Cars, General Requirements & Nc Regulations for permitted modifications.

Update Log

| | |
|--|--|
| | |
| | |
| | |

SECTION 1 - CHASSIS

1.1. CHASSIS

| | | | |
|---------------------------------|--|--|--|
| Description: | Unitary construction | | |
| Period of Manufacture: | 1968 – 1972 | | |
| Manufacturer: | Volvo | | |
| Chassis Number From: | 000001 - 012199 Model year 1969 012200 - 032399 Model year 1970 032400 - 052789 Model year 1971 052790 - 074449 Model year 1972 | | |
| Chassis Number location: | Bulkhead – engine bay | | |
| Material: | Steel | | |
| Comments | None | | |

1.2. FRONT SUSPENSION

| | | | |
|-------------------------------|---|--------------------|------------------------|
| Description: | Independent – upper and lower wishbones | | |
| Spring Medium: | Coil | | |
| Damper Type: | Telescopic | Adjustable: | No |
| Anti-sway bar: | Yes | Adjustable: | No |
| Suspension adjustable: | Yes | Method: | Caster, camber and toe |
| Comments: | None | | |

1.3. REAR SUSPENSION

| | | | |
|-------------------------------|----------------|--------------------|-----|
| Description: | Live rear axle | | |
| Spring Medium: | Coil | | |
| Damper Type: | Telescopic | Adjustable: | No |
| Anti-sway bar: | No | Adjustable: | No |
| Suspension adjustable: | No | Method: | N/A |
| Comments: | None | | |

1.4. STEERING

| | | | |
|-----------------|--------------|--------------|-------|
| Type: | Ball and nut | Make: | Volvo |
| Comments | None | | |

1.5. BRAKES

| | Front | Rear |
|--------------------------------------|------------------|-----------------|
| Type: | Disc, solid | Disc, solid |
| Dimensions: | 272 mm x 12.8 mm | 295 mm x 9.6 mm |
| Material of drum/disc: | Cast iron | Cast iron |
| No. cylinders/pots per wheel: | Four | Two |
| Actuation: | Hydraulic | Hydraulic |
| Caliper make: | Volvo | |
| Caliper type: | Fixed | |
| Material: | Cast iron | |
| Master cylinder make: | Volvo | |
| Type: | Tandem | |
| Adjustable bias: | No | |
| Servo Fitted: | Yes | |
| Comments: | None | |

SECTION 2 - ENGINE

2.1. ENGINE

| | | | |
|---------------------------------|-------------------------------|-------------------------|---------|
| Make: | Volvo | | |
| Model: | B30 | | |
| No. cylinders: | Six | Configuration: | In line |
| Cylinder Block-material: | Cast iron | Two/Four Stroke: | Four |
| Bore – Original: | 88.9 mm | Max allowed: | 90.4 mm |
| Stroke – original: | 80 mm | Max allowed: | 80 mm |
| Capacity – original: | 2978 cc | Max allowed: | 3079 cc |
| Identifying marks: | Left side of the engine block | | |
| Cooling method: | Liquid | | |
| Comments: | None | | |

2.2. CYLINDER HEAD

| | | | |
|--------------------------------|--------------------|------------------------|---------------------|
| Make: | Volvo | | |
| No. of valves/cylinder: | Two | Inlet: One | Exhaust: One |
| No. of ports total: | Twelve | Inlet: Six | Exhaust: Six |
| No. of camshafts: | One | Location: Block | Drive: Gear |
| Valve actuation: | Pushrod and rocker | | |
| Spark plugs/cylinder: | One | | |
| Identifying marks: | N/A | | |
| Comments: | None | | |

2.3. LUBRICATION

| | | | |
|-----------------------------|----------|---------------------------|-----|
| Method: | Wet sump | Oil tank location: | N/A |
| Dry sump pump type: | N/A | Location: | N/A |
| Oil cooler standard: | No | Location: | N/A |
| Comments: | None | | |

2.4. IGNITION SYSTEM

| | | | |
|-----------------|---|--|--|
| Type: | Points, distributor & coil | | |
| Make: | Bosch | | |
| Comments | Breakerless electronic ignition permitted | | |

2.5. FUEL SYSTEM

| | | | |
|-----------------------------|-----------|---------------|-----|
| Carburettor Make: | Stromberg | Model: | CD |
| Carburettor Number: | Two | | |
| Size: | Various | | |
| Fuel injection Make: | N/A | Type: | N/A |
| Supercharged: | No | Type: | N/A |
| Comments: | None | | |

SECTION 3 - TRANSMISSION

3.1. CLUTCH

| | |
|-----------------------|-----------|
| Make: | Volvo |
| Type: | Diaphragm |
| Diameter: | 240 mm |
| No. of Plates: | One |
| Actuation: | Cable |
| Comments: | None |

3.2. TRANSMISSION

| | |
|--------------------------------------|--------------------|
| Type: | Synchromesh |
| Make: | M400 |
| Gearbox location: | Behind engine |
| No. forward speeds: | Four |
| Gearchange type and location: | Floor - direct |
| Case material: | Cast iron |
| Identifying marks: | N/A |
| Comments: | Overdrive optional |

3.3. FINAL DRIVE

| | | | |
|---------------------------|----------------|---------------|-----|
| Make: | Volvo | Model: | M40 |
| Type: | Live rear axle | | |
| Ratios: | Various | | |
| Differential type: | Hypoid bevel | | |
| Comments: | None | | |

3.4. TRANSMISSION SHAFTS (EXPOSED)

| | |
|---------------------|--------------------------------------|
| Number: | One |
| Location: | Gearbox to final drive |
| Description: | Open tail shaft with twin uni joints |
| Comments: | None |

3.5. WHEELS & TYRES

| | | | |
|-----------------------------------|-------------------------------|-----------------------------|----------------|
| Wheel type - Original: | Pressed disc | Material - Original: | Steel |
| Wheel type - Allowed: | Steel Alloy (period style) | Material - Allowed: | Steel Alloy |
| Fixture method: | Stud and nut | No. studs: | Five |
| Wheel dia. & rim width | FRONT | | REAR |
| Original: | 5.5" x 15" | | 5.5" x 15" |
| Allowed | 7" x 15" | | 7" x 15" |
| Tyre Section: | | | |
| Allowed: | Refer approved tyre list. | | |
| Aspect ratio - minimum: | 60% minimum aspect ratio. | | |
| Comments: | None | | |

SECTION 4 GENERAL

4.1. FUEL SYSTEM

| | | | |
|-------------------------|---------------------|------------------|-----------|
| Tank Location: | Rear | Capacity: | 58 litres |
| Fuel pump, type: | Mechanical on block | Make: | Volvo |
| Comments: | None | | |

4.2. ELECTRICAL SYSTEM

| | | | |
|--------------------------|------------|---------------------------|-----------|
| Voltage: | 12 | Alternator fitted: | Generator |
| Battery Location: | Engine bay | | |
| Comments: | None | | |

4.3. BODYWORK

| | | | |
|----------------------|-------|-------------------|--------|
| Type: | Sedan | Material: | Steel |
| No. of seats: | Four | No. doors: | 4 door |
| Comments: | None | | |

4.4. DIMENSIONS

| | | | |
|-----------------------|---------|------------------------|---------|
| Track - Front: | 1350 mm | Rear: | 1350 mm |
| Wheelbase: | 2720 mm | Overall length: | 4700 mm |
| Dry weight: | 1370 kg | | |
| Comments: | None | | |

4.5. SAFETY EQUIPMENT

| |
|------------------------------------|
| Refer applicable Group Regulations |
|------------------------------------|

Appendix